

ENR 2 ATS Airspace

ENR 2.1 FIR, UIR, TMA, CTA

1 FIR

Name Lateral limits Vertical limits Class of airspace	Unit providing service	Call sign Languages Area and conditions of use Hours of service	Frequency/Purpose	Remarks
1	2	3	4	5
TBILISI FIR 4118N 04501E - then along the state border with Armenia to - 4107N 04328E then along the state border with Turkey to - 4131N 04133E - 4136N 04117E - 4154N 04020E - 4311N 03955E - 4323N 04001E - then along the state border with Russia to - 4155N 04625E - then along the state border with Azerbaijan to - 4118N 04501E UNL GND Class of airspace: - G UNL/ FL 660 - C FL 660/ FL 85 or 2000 FT AGL whichever is higher - G FL 85 or 2000 FT AGL whichever is higher/ GND	TBILISI ACC	TBILISI RADAR: EN H24	Primary: 125.125 MHz Primary: 133.500 MHz Primary: 133.400 MHz Primary: 134.450 MHz Secondary: 135.125 MHz Secondary: 135.350 MHz Secondary: 135.625 MHz Secondary: 135.750 MHz Emergency: 121.500 MHz	NIL
	TBILISI FIS	TBILISI INFORMATION: EN H24	124.150 MHz Emergency: 121.500 MHz	NIL

2 UIR

NIL

3 TMA

Name Lateral limits Vertical limits Class of airspace	Unit providing service	Call sign Languages Area and conditions of use Hours of service	Frequency/ Purpose	Remarks
1	2	3	4	5
BATUMI TMA 420819N 0410250E - 415659N 0414755E - 413128N 0415756E - then along the state border with Turkey up to - 413100N 0413255E - 413600N 0411655E - 414151N 0405843E - 420426N 0405703E - 420819N 0410250E FL 115 (Based on BATUMI TMA SECTOR) Class of airspace: C	BATUMI APP	BATUMI APPROACH: EN H24	124.425 MHz Emergency: 121.500 MHz	Operation of pressure-altitude reporting transponders is mandatory for civil ACFT

Name Lateral limits Vertical limits Class of airspace	Unit providing service	Call sign Languages Area and conditions of use Hours of service	Frequency/ Purpose	Remarks
1	2	3	4	5
BATUMI TMA SECTOR 1 414544N 0415223E-413128N 0415756E - then along the state border with Turkey up to - 413100N 0413255E - 413240N 0414245E - 414544N 0415223E FL 115 (6000 FT AMSL or 700 FT AGL whichever is higher) Class of airspace: C	BATUMI APP	BATUMI APPROACH: EN H24	124.425 MHz Emergency: 121.500 MHz	NIL
BATUMI TMA SECTOR 2 420819N 0410250E 415659N 0414755E 414544N 0415223E 413240N 0414245E 413100N 0413255E 413600N 0411655E 414151N 0405843E 420426N 0405703E 420819N 0410250E FL 115 (1500 FT AMSL or 700 FT AGL whichever is higher) Class of airspace: C	BATUMI APP	BATUMI APPROACH: EN H24	124.425 MHz Emergency: 121.500 MHz	NIL
KUTAISI TMA 421550N 0430700E 420055N 0430815E 415600N 0422550E 415659N 0414755E 420400N 0412010E 423525N 0415110E 421550N 0430700E FL 115 (Based on KUTAISI TMA SECTOR) Class of airspace: C	KUTAISI APP	KUTAISI APPROACH: EN H24	127.100 MHz Emergency: 121.500 MHz	Operation of pressure-altitude reporting transponders is mandatory for civil ACFT
KUTAISI TMA SECTOR 1 421550N 0430700E 421309N 0430714E 421610N 0424835E 422347N 0423643E 421550N 0430700E FL 115 (3000 FT AMSL or 700 FT AGL whichever is higher) Class of airspace: C	KUTAISI APP	KUTAISI APPROACH: EN H24	127.100 MHz Emergency: 121.500 MHz	NIL
KUTAISI TMA SECTOR 2 421309N 0430714E 420609N 0430749E 420535N 0424645E 421610N 0424835E 421309N 0430714E FL 115 (2500 FT AMSL or 700 FT AGL whichever is higher) Class of airspace: C	KUTAISI APP	KUTAISI APPROACH: EN H24	127.100 MHz Emergency: 121.500 MHz	NIL
KUTAISI TMA SECTOR 3 420609N 0430749E 420055N 0430815E 415600N 0422550E 420530N 0422000E 420420N 0422904E 420535N 0424645E 420609N 0430749E FL 115 (5000 FT AMSL or 700 FT AGL whichever is higher) Class of airspace: C	KUTAISI APP	KUTAISI APPROACH: EN H24	127.100 MHz Emergency: 121.500 MHz	NIL

Name Lateral limits Vertical limits Class of airspace	Unit providing service	Call sign Languages Area and conditions of use Hours of service	Frequency/ Purpose	Remarks
1	2	3	4	5
KUTAISI TMA SECTOR 4 415600N 0422550E 415652N 0415301E 420650N 0420230E 420530N 0422000E 415600N 0422550E FL 115 (3000 FT AMSL or 700 FT AGL whichever is higher) Class of airspace: C	KUTAISI APP	KUTAISI APPROACH: EN H24	127.100 MHz Emergency: 121.500 MHz	NIL
KUTAISI TMA SECTOR 5 422347N 0423643E 421610N 0424835E 420535N 0424645E 420420N 0422904E 420530N 0422000E 420650N 0420230E 415652N 0415301E 415659N 0414755E 420400N 0412010E 423525N 0415110E 422347N 0423643E FL 115 (1500 FT AMSL or 700 FT AGL whichever is higher) Class of airspace: C	KUTAISI APP	KUTAISI APPROACH: EN H24	127.100 MHz Emergency: 121.500 MHz	NIL
TBILISI TMA 411130N 0443008E - 412602N 0441808E - 413353N 0440821E - 420100N 0440756E - 421309N 0441850E - 421111N 0445232E - 415720N 0454158E - 414700N 0455746E - 411228N 0455332E - then along the state border with Azerbaijan up to - 411750N 0450055E - then along the state border with Armenia up to - 411130N 0443008E FL 195 (Based on TBILISI TMA 1-11) Class of airspace: C	TBILISI APP	TBILISI APPROACH: EN H24	134.600 MHz Emergency: 121.500 MHz	Operation of pressure-altitude reporting transponders is mandatory for civil ACFT
TBILISI TMA 1 414756N 0444138E - 415100N 0444558E - 415019N 0444839E - 415002N 0445056E - 414513N 0444409E - 414756N 0444138E FL 195 3500 FT AMSL Class of airspace: C	TBILISI APP	TBILISI APPROACH: EN H24	134.600 MHz Emergency: 121.500 MHz	NIL
TBILISI TMA 2 411740N 0450017E - 411747N 0445143E - 412604N 0443309E - 412906N 0443207E - 413759N 0444821E - 413651N 0444901E - 413000N 0445740E - 412801N 0450555E - 413249N 0451242E - 414109N 0450755E - 413554N 0451509E - 413207N 0451839E - 412804N 0451928E - then along the state border with Azerbaijan up to - 411750N 0450055E - then along the state border with Armenia up to - 411740N 0450017E FL 195 3500 FT AMSL Class of airspace: C	TBILISI APP	TBILISI APPROACH: EN H24	134.600 MHz Emergency: 121.500 MHz	NIL

Name Lateral limits Vertical limits Class of airspace	Unit providing service	Call sign Languages Area and conditions of use Hours of service	Frequency/ Purpose	Remarks
1	2	3	4	5
TBILISI TMA 3 414513N 0444409E - 415002N 0445056E - 414907N 0445325E - 414559N 0450149E - 414109N 0450755E - 413249N 0451242E - 412801N 0450555E - 413000N 0445740E - 413651N 0444901E - 413759N 0444821E - 414513N 0444409E FL 195 4500 FT AMSL Class of airspace: C	TBILISI APP	TBILISI APPROACH: EN H24	134.600 MHz Emergency: 121.500 MHz	NIL
TBILISI TMA 4 415155N 0443634E - 415604N 0444223E - 415240N 0444644E - 415003N 0445403E - 414907N 0445325E - 415002N 0445056E - 415019N 0444839E - 415100N 0444558E - 414756N 0444138E - 414513N 0444409E - 413759N 0444821E - 414650N 0443753E - 414849N 0444042E - 415155N 0443634E FL 195 4500 FT AMSL Class of airspace: C	TBILISI APP	TBILISI APPROACH: EN H24	134.600 MHz Emergency: 121.500 MHz	NIL
TBILISI TMA 5 412804N 0451928E - 413207N 0451839E - 413554N 0451509E - 414109N 0450755E - 414559N 0450149E - 414813N 0450459E - 413757N 0454407E - 412121N 0454159E - then along the state border with Azerbaijan up to - 412804N 0451928E FL 195 4500 FT AMSL Class of airspace: C	TBILISI APP	TBILISI APPROACH: EN H24	134.600 MHz Emergency: 121.500 MHz	NIL
TBILISI TMA 6 415613N 0443036E - 420042N 0443715E - 420015N 0444619E - 415039N 0445830E - 414813N 0450459E - 414559N 0450149E - 414907N 0445325E - 415003N 0445403E - 415240N 0444644E - 415604N 0444223E - 415155N 0443634E - 414849N 0444042E - 414650N 0443753E - 413759N 0444821E - 412906N 0443207E - 413348N 0443029E - 414011N 0444127E - 414849N 0443038E - 415613N 0443036E FL 195 5500 FT AMSL Class of airspace: C	TBILISI APP	TBILISI APPROACH: EN H24	134.600 MHz Emergency: 121.500 MHz	NIL

Name Lateral limits Vertical limits Class of airspace	Unit providing service	Call sign Languages Area and conditions of use Hours of service	Frequency/ Purpose	Remarks
1	2	3	4	5
TBILISI TMA 7 411424N 0444054E - 412244N 0442654E - 413505N 0442223E - 413608N 0442419E - 414548N 0442945E - 415013N 0442413E - 415010N 0441811E - 415913N 0441803E - 420708N 0442917E - 420603N 0445118E - 415046N 0450236E - 414729N 0452210E - 414645N 0454515E - 413757N 0454407E - 414813N 0450459E - 415039N 0445830E - 420015N 0444619E - 420042N 0443715E - 415613N 0443036E - 414849N 0443038E - 414011N 0444127E - 413348N 0443029E - 412906N 0443207E - 412604N 0443309E - 411747N 0445143E - 411740N 0450017E - then along the state border with Armenia up to - 411424N 0444054E FL 195 6500 FT AMSL Class of airspace: C	TBILISI APP	TBILISI APPROACH: EN H24	134.600 MHz Emergency: 121.500 MHz	NIL
TBILISI TMA 8 415010N 0441811E - 415013N 0442413E - 414548N 0442945E - 413608N 0442419E - 413505N 0442223E - 414708N 0442215E - 415010N 0441811E FL 195 7500 FT AMSL Class of airspace: C	TBILISI APP	TBILISI APPROACH: EN H24	134.600 MHz Emergency: 121.500 MHz	NIL
TBILISI TMA 9 420603N 0445118E - 415018N 0453239E - 414645N 0454515E - 414729N 0452210E - 415046N 0450236E - 420603N 0445118E FL 195 7500 FT AMSL Class of airspace: C	TBILISI APP	TBILISI APPROACH: EN H24	134.600 MHz Emergency: 121.500 MHz	NIL
TBILISI TMA 10 412121N 0454159E - 413757N 0454407E - 414645N 0454515E - 414700N 0455746E - 411228N 0455332E - then along the state border with Azerbaijan up to - 412121N 0454159E FL 195 7500 FT AMSL Class of airspace: C	TBILISI APP	TBILISI APPROACH: EN H24	134.600 MHz Emergency: 121.500 MHz	NIL
TBILISI TMA 11 411130N 0443008E - 412602N 0441808E - 413353N 0440821E - 420100N 0440756E - 421309N 0441850E - 421111N 0445232E - 415720N 0454158E - 414700N 0455746E - 414645N 0454515E - 415018N 0453239E - 420603N 0445118E - 420708N 0442917E - 415913N 0441803E - 415010N 0441811E - 414708N 0442215E - 413505N 0442223E - 412244N 0442654E - 411424N 0444054E - then along the state border with Armenia up to - 411130N 0443008E FL 195 8500 FT AMSL Class of airspace: C	TBILISI APP	TBILISI APPROACH: EN H24	134.600 MHz Emergency: 121.500 MHz	NIL

4 CTA

Name Lateral limits Vertical limits Class of airspace	Unit providing service	Call sign Languages Area and conditions of use Hours of service	Frequency/Purpose	Remarks
1	2	3	4	5
CTA EAST 412958N 0425216E - 415414N 0425030E - 421054N 0430626E - 421700N 0430400E - 431043N 0424243E - then along the state border with Russia to - 415449N 0462529E - then along the state border with Azerbaijan to - 411750N 0450055E - then along the state border with Armenia to - 410724N 0432824E - then along the state border with Turkey to 412958N 0425216E FL 660 FL 85 or 2000 FT AGL whichever is higher Class of airspace: C	TBILISI ACC	TBILISI RADAR: EN H24	Primary: 125.125 MHz Secondary: 135.125 MHz Emergency: 121.500 MHz	Decision on the splitting of the CTA EAST into the upper and lower sectors and the duration of their operation is made by the ATS unit
	TBILISI ACC	TBILISI RADAR: EN HO	Primary: 133.500 MHz Secondary: 135.350 MHz Emergency: 121.500 MHz	The upper limit of the EAST UPPER Sector is FL660. The lower limit of the EAST UPPER Sector is established on ATS unit decision and can be: FL345/ FL355/ FL365/ FL375
	TBILISI ACC	TBILISI RADAR: EN HO	Primary: 125.125 MHz Secondary: 135.125 MHz Emergency: 121.500 MHz	The upper limit of the EAST LOWER Sector is established on ATS unit decision and can be: FL345/ FL355/ FL365/ FL375. The lower limit of the EAST LOWER Sector is FL85 or 2000 FT AGL whichever is higher

Name Lateral limits Vertical limits Class of airspace	Unit providing service	Call sign Languages Area and conditions of use Hours of service	Frequency/Purpose	Remarks
1	2	3	4	5
CTA WEST 412958N 0425216E - then along the state border with Turkey up to - 413114N 0413249E - 413600N 0411700E - 415400N 0402000E - 431100N 0395500E - 432311N 0400037E - then along the state border with Russia up to - 431043N 0424243E - 421700N 0430400E - 421054N 0430626E - 415414N 0425030E - 412958N 0425216E FL 660 FL 85 or 2000 FT AGL whichever is higher Class of airspace: C	TBILISI ACC	TBILISI RADAR: EN H24	Primary: 133.400 MHz Secondary: 135.625 MHz Emergency: 121.500 MHz	Decision on the splitting of the CTA WEST into the upper and lower sectors and the duration of their operation is made by the ATS unit
	TBILISI ACC	TBILISI RADAR: EN HO	Primary: 134.450 MHz Secondary: 135.750 MHz Emergency: 121.500 MHz	The upper limit of the WEST UPPER Sector is FL660. The lower limit of the WEST UPPER Sector is established on ATS unit decision and can be: FL345/ FL355/ FL365/ FL375
	TBILISI ACC	TBILISI RADAR: EN HO	Primary: 133.400 MHz Secondary: 135.625 MHz Emergency: 121.500 MHz	The upper limit of the WEST LOWER Sector is established on ATS unit decision and can be: FL345/ FL355/ FL365/ FL375. The lower limit of the WEST LOWER Sector is FL85 or 2000 FT AGL whichever is higher.

PAGE INTENTIONALLY LEFT BLANK