

ENR 3.2 Area navigation routes

Route Designator {RNP Type}		[Route Usage Notes]							
	Significant Point Name	Significant Point Coordinates						Remarks	
	{RNP Type}	Track MAG ↓ ↑	Dist (NM)	(COP)	Upper limit Lower limit	Lateral limits (NM)	FL series ↓ ↑	Controlling unit Frequency {Airspace class} Remarks	
	1	2	3	4	5	6	7	8	9
L125		Route availability: (1) H24							
▲ GUSLI (FIR boundary)		425506N 0431702E							(2)
(RNAV 5)		155° -	21.4		FL 660 FL 195		Odd ⁽¹⁾		TBILISI ACC FREQ: Primary 125.125 MHZ Secondary 135.125 MHZ Primary 133.500 MHZ Secondary 135.350 MHZ [Class C]
Δ BASKA		423459N 0432655E							
(RNAV 5)		158° -	30.3		FL 660 FL 195		Odd ⁽¹⁾		TBILISI ACC FREQ: Primary 125.125 MHZ Secondary 135.125 MHZ Primary 133.500 MHZ Secondary 135.350 MHZ [Class C]
Δ ALI NDB (BT)		420523N 0433901E							
(RNAV 5)		169° 349°	57.6		FL 660 FL 195		Odd ⁽¹⁾	Even ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHZ Secondary 135.125 MHZ Primary 133.500 MHZ Secondary 135.350 MHZ [Class C]
▲ OGEVI (FIR boundary)		410805N 0434713E							(3)
Point/Segment Remarks:									
(2) For Continuation See AIP Russia.									
(3) For Continuation See AIP Armenia.									

Route Designator {RNP Type}		[Route Usage Notes]						
Significant Point Name {RNP Type}	Significant Point Coordinates			Upper limit Lower limit	Lateral limits (NM)	FL series		Remarks Controlling unit Frequency {Airspace class} Remarks
	Track MAG ↓ ↑	Dist (NM)	(COP)			↓	↑	
1	2	3	4	5	6	7	8	9
L131	Route availability: (1) H24							
▲ GUSLI (FIR boundary)	425506N 0431702E							
(RNAV 5)	131 ° -	83.1		FL 660 FL 195		Odd ⁽¹⁾		TBILISI ACC FREQ: Primary 125.125 MHZ Secondary 135.125 MHZ Primary 133.500 MHZ Secondary 135.350 MHZ [Class C]
Δ MUKHRANI NDB (DF)	415500N 0443356E							

Route Designator {RNP Type}		[Route Usage Notes]						
Significant Point Name {RNP Type}	Significant Point Coordinates			Upper limit Lower limit	Lateral limits (NM)	FL series		Remarks Controlling unit Frequency {Airspace class} Remarks
	Track MAG ↓ ↑	Dist (NM)	(COP)			↓	↑	
1	2	3	4	5	6	7	8	9
L133	Route availability: (1) H24							
▲ DISKA (FIR boundary)	412750N 0451734E							
(RNAV 5)	320° -	86.0		FL 660 FL 195		Even ⁽¹⁾		TBILISI ACC FREQ: Primary 125.125 MHZ Secondary 135.125 MHZ Primary 133.500 MHZ Secondary 135.350 MHZ [Class C]
▲ LAPTO (FIR boundary)	423753N 0441119E							

Route Designator {RNP Type}		[Route Usage Notes]							
	Significant Point Name {RNP Type}	Significant Point Coordinates			Upper limit Lower limit	Lateral limits (NM)	FL series		Remarks Controlling unit Frequency {Airspace class} Remarks
		Track MAG ↓ ↑	Dist (NM)	(COP)			↓	↑	
	1	2	3	4	5	6	7	8	9
L850		Route availability: (1) H24							
▲ ADEKI (FIR boundary)		411748N 0464500E							(2)
(RNAV 5)		286° 105°	72.2		FL 660 FL 195		Even ⁽¹⁾	Odd ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHZ Secondary 135.125 MHZ Primary 133.500 MHZ Secondary 135.350 MHZ [Class C]
Δ DEDON		414255N 0451448E							
(RNAV 5)		285° 105°	103.1		FL 660 FL 195		Even ⁽¹⁾	Odd ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHZ Secondary 135.125 MHZ Primary 133.500 MHZ Secondary 135.350 MHZ [Class C]
▲ TAGAR		421642N 0430410E							
(RNAV 5)		283° 105°	143.1		FL 660 FL 285		Even ⁽¹⁾	Odd ⁽¹⁾	TBILISI ACC FREQ: Primary 133.400 MHZ Secondary 135.625 MHZ Primary 134.450 MHZ Secondary 135.750 MHZ [Class C]
▲ BANUT (FIR boundary)		425923N 0395907E							(3)
Point/Segment Remarks:									
(2) For continuation, see AIP Azerbaijan.									
(3) For continuation, see AIP Russia.									

Route Designator {RNP Type}		[Route Usage Notes]							
	Significant Point Name	Significant Point Coordinates						Remarks	
{RNP Type}		Track MAG ↓ ↑	Dist (NM)	(COP)	Upper limit Lower limit	Lateral limits (NM)	FL series ↓ ↑	Controlling unit Frequency {Airspace class} Remarks	
1		2	3	4	5	6	7	8	9
M10		Route availability: (1) H24							
Δ	TETRO	414021N 0425135E							
(RNAV 5)		259° -	63.9		FL 660 FL 195		Even ⁽¹⁾		TBILISI ACC FREQ: Primary 133.400 MHZ Secondary 135.625 MHZ Primary 134.450 MHZ Secondary 135.750 MHZ [Class C]
▲	SARPI (FIR boundary)	413256N 0412659E							⁽²⁾
Point/Segment Remarks: (2) For Continuation See AIP Turkey.									

Route Designator {RNP Type}		[Route Usage Notes]						
Significant Point Name	Significant Point Coordinates							Remarks
{RNP Type}	Track MAG ↓ ↑	Dist (NM)	(COP)	Upper limit Lower limit	Lateral limits (NM)	FL series ↓ ↑		Controlling unit Frequency {Airspace class} Remarks
1	2	3	4	5	6	7	8	9
M54	Route availability: (1) H24							
▲ GUSLI (FIR boundary)	425506N 0431702E							(2)
(RNAV 5)	147° -	91.1		FL 660 FL 195		Odd ⁽¹⁾		TBILISI ACC FREQ: Primary 125.125 MHz Secondary 135.125 MHz Primary 133.500 MHz Secondary 135.350 MHz [Class C]
Δ LAGAS	413419N 0441353E							
(RNAV 5)	147° -	25.9		FL 660 FL 195		Odd ⁽¹⁾		TBILISI ACC FREQ: Primary 125.125 MHz Secondary 135.125 MHz Primary 133.500 MHz Secondary 135.350 MHz [Class C]
▲ TAVRO (FIR boundary)	411129N 0443009E							(3)
Point/Segment Remarks:								
(2) For Continuation See AIP Russia.								
(3) For Continuation See AIP Armenia.								

Route Designator {RNP Type}		[Route Usage Notes]						
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}		Track MAG ↓ ↑	Dist (NM)	(COP)	Upper limit Lower limit	Lateral limits (NM)	FL series ↓ ↑	Controlling unit Frequency {Airspace class} Remarks
1		2	3	4	5	6	7	8
9								
M737		Route availability: (1) H24						
Δ IBERI		420939N 0414318E						
(RNAV 5)		083° 264°	34.1		FL 660 FL 195		Odd ⁽¹⁾ Even ⁽¹⁾	TBILISI ACC FREQ: Primary 133.400 MHz Secondary 135.625 MHz Primary 134.450 MHz Secondary 135.750 MHz [Class C]
Δ KUTAISI DVOR/DME (KTS)		421033N 0422905E						
(RNAV 5)		084° 264°	27.8		FL 660 FL 195		Odd ⁽¹⁾ Even ⁽¹⁾	TBILISI ACC FREQ: Primary 133.400 MHz Secondary 135.625 MHz Primary 134.450 MHz Secondary 135.750 MHz [Class C]
▲ LOBIN		421054N 0430626E						
(RNAV 5)		096° 277°	24.7		FL 660 FL 195		Odd ⁽¹⁾ Even ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHz Secondary 135.125 MHz Primary 133.500 MHz Secondary 135.350 MHz [Class C]
Δ ALI NDB (BT)		420523N 0433901E						
(RNAV 5)		098° 278°	22.2		FL 660 FL 195		Odd ⁽¹⁾ Even ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHz Secondary 135.125 MHz Primary 133.500 MHz Secondary 135.350 MHz [Class C]
Δ GIMUR		420100N 0440756E						
(RNAV 5)		102° 282°	20.3		FL 660 FL 195		Odd ⁽¹⁾ Even ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHz Secondary 135.125 MHz Primary 133.500 MHz Secondary 135.350 MHz [Class C]
Δ MUKHRANI NDB (DF)		415500N 0443356E						
(RNAV 5)		125° 306°	22.6		FL 660 FL 195		Odd ⁽¹⁾ Even ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHz Secondary 135.125 MHz Primary 133.500 MHz Secondary 135.350 MHz [Class C]
Δ TBILISI DVOR/DME (TBS)		414014N 0445649E						
(RNAV 5)		123° -	19.9		FL 660 FL 195		Odd ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHz Secondary 135.125 MHz Primary 133.500 MHz Secondary 135.350 MHz [Class C]
▲ DISKA (FIR boundary)		412750N 0451734E						(2)
Point/Segment Remarks: (2) For Continuation See AIP Azerbaijan.								

Route Designator {RNP Type}		[Route Usage Notes]						
Significant Point Name	Significant Point Coordinates							Remarks
{RNP Type}	Track MAG ↓ ↑	Dist (NM)	(COP)	Upper limit Lower limit	Lateral limits (NM)	FL series ↓ ↑		Controlling unit Frequency {Airspace class} Remarks
1	2	3	4	5	6	7	8	9
M747		Route availability: (1) H24						
▲ IDLER (FIR boundary)	422925N 0400845E							(2)
(RNAV 5)	100° -	72.9		FL 660 FL 195		Odd ⁽¹⁾		TBILISI ACC FREQ: Primary 133.400 MHz Secondary 135.625 MHz Primary 134.450 MHz Secondary 135.750 MHz [Class C]
▲ IBERI	420939N 0414318E							
(RNAV 5)	102° -	52.4		FL 660 FL 195		Odd ⁽¹⁾		TBILISI ACC FREQ: Primary 133.400 MHz Secondary 135.625 MHz Primary 134.450 MHz Secondary 135.750 MHz [Class C]
▲ BARUS	415414N 0425030E							
(RNAV 5)	102° -	65.5		FL 660 FL 195		Odd ⁽¹⁾		TBILISI ACC FREQ: Primary 125.125 MHz Secondary 135.125 MHz Primary 133.500 MHz Secondary 135.350 MHz [Class C]
▲ LAGAS	413419N 0441353E							
(RNAV 5)	103° -	40.5		FL 660 FL 195		Odd ⁽¹⁾		TBILISI ACC FREQ: Primary 125.125 MHz Secondary 135.125 MHz Primary 133.500 MHz Secondary 135.350 MHz [Class C]
▲ BARAD (FIR boundary)	412131N 0450500E							(3)
Point/Segment Remarks:								
(2) For continuation, see AIP Russia.								
(3) For continuation, see AIP Azerbaijan.								

Route Designator {RNP Type}		[Route Usage Notes]						
Significant Point Name {RNP Type}	Significant Point Coordinates			Upper limit Lower limit	Lateral limits (NM)	FL series		Remarks Controlling unit Frequency {Airspace class} Remarks
	Track MAG ↓ ↑	Dist (NM)	(COP)			↓	↑	
1	2	3	4	5	6	7	8	9
N11	Route availability: (1) H24							
▲ ROLIN (FIR boundary)	414757N 0403923E							
(RNAV 5)	081° 262°	98.4		FL 660 FL 195		Odd ⁽¹⁾	Even ⁽¹⁾	TBILISI ACC FREQ: Primary 134.400 MHz Secondary 135.625 MHz Primary 134.450 MHz Secondary 135.750 MHz [Class C]
▲ BARUS	415414N 0425030E							
(RNAV 5)	084° 265°	77.4		FL 660 FL 195		Odd ⁽¹⁾	Even ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHz Secondary 135.125 MHz Primary 133.500 MHz Secondary 135.350 MHz [Class C]
Δ MUKHRANI NDB (DF)	415500N 0443356E							
(RNAV 5)	083° 264°	77.2		FL 660 FL 195		Odd ⁽¹⁾	Even ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHz Secondary 135.125 MHz Primary 133.500 MHz Secondary 135.350 MHz [Class C]
▲ KUFAN (FIR boundary)	415718N 0461708E							

Route Designator {RNP Type}		[Route Usage Notes]							
	Significant Point Name	Significant Point Coordinates						Remarks	
{RNP Type}		Track MAG ↓ ↑	Dist (NM)	{COP}	Upper limit Lower limit	Lateral limits (NM)	FL series ↓ ↑	Controlling unit Frequency {Airspace class} Remarks	
1		2	3	4	5	6	7	8	
N37		Route availability: (1) H24							
▲ LURIS		422525N 0454607E						(2)	
(RNAV 5)		254° 072°	96.4		FL 660 FL 225		Even ⁽¹⁾	Odd ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHz Secondary 135.125 MHz Primary 133.500 MHz Secondary 135.350MHZ [Class C]
Δ ALI NDB (BT)		420523N 0433901E							
(RNAV 5)		247° 067°	38.0		FL 660 FL 195		Even ⁽¹⁾	Odd ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHz Secondary 135.125 MHz Primary 133.500 MHz Secondary 135.350 MHz [Class C]
▲ BARUS		415414N 0425030E							
(RNAV 5)		247° 067°	35.3		FL 660 FL 195		Even ⁽¹⁾	Odd ⁽¹⁾	TBILISI ACC FREQ: Primary 133.400 MHz Secondary 135.625 MHz Primary 134.450 MHz Secondary 135.750 MHz [Class C]
Δ ODILI		414317N 0420540E							
(RNAV 5)		247° 066°	22.8		FL 660 FL 195		Even ⁽¹⁾	Odd ⁽¹⁾	TBILISI ACC FREQ: Primary 133.400 MHz Secondary 135.625 MHz Primary 134.450 MHz Secondary 135.750 MHz [Class C]
Δ BATUMI NDB (LU)		413605N 0413651E							
(RNAV 5)		242° 062°	8.0		FL 660 FL 195		Even ⁽¹⁾	Odd ⁽¹⁾	TBILISI ACC FREQ: Primary 133.400 MHz Secondary 135.625 MHz Primary 134.450 MHz Secondary 135.750 MHz [Class C]
▲ SARPI (FIR boundary)		413256N 0412659E						(3)	
Point/Segment Remarks:									
(2) For Continuation See AIP Russia.									
(3) For Continuation See AIP Turkey.									

Route Designator {RNP Type}		[Route Usage Notes]						
Significant Point Name	Significant Point Coordinates							Remarks
{RNP Type}	Track MAG ↓ ↑	Dist (NM)	(COP)	Upper limit Lower limit	Lateral limits (NM)	FL series ↓ ↑		Controlling unit Frequency {Airspace class} Remarks
1	2	3	4	5	6	7	8	9
N61	Route availability: (1) H24							
▲ NOLGA (FIR boundary)	412541N 0425844E							(2)
(RNAV 5)	076° 257°	57.1		FL 660 FL 195		Odd ⁽¹⁾	Even ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHZ Secondary 135.125 MHZ Primary 133.500 MHZ Secondary 135.350 MHZ [Class C]
▲ LAGAS	413419N 0441353E							
(RNAV 5)	077° 257°	11.3		FL 660 FL 195		Odd ⁽¹⁾	Even ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHZ Secondary 135.125 MHZ Primary 133.500 MHZ Secondary 135.350 MHZ [Class C]
Δ BAGEM	413556N 0442850E							
(RNAV 5)	073° 253°	21.4		FL 660 FL 195		Odd ⁽¹⁾	Even ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHZ Secondary 135.125 MHZ Primary 133.500 MHZ Secondary 135.350 MHZ [Class C]
Δ TBILISI DVOR/DME (TBS)	414014N 0445649E							
(RNAV 5)	073° 253°	13.7		FL 660 FL 195		Odd ⁽¹⁾	Even ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHZ Secondary 135.125 MHZ Primary 133.500 MHZ Secondary 135.350 MHZ [Class C]
Δ DEDON	414255N 0451448E							
(RNAV 5)	068° 248°	48.8		FL 660 FL 195		Odd ⁽¹⁾	Even ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHZ Secondary 135.125 MHZ Primary 133.500 MHZ Secondary 135.350 MHZ [Class C]
▲ KUFAN (FIR boundary)	415718N 0461708E							(3)
Point/Segment Remarks:								
(2) For Continuation See AIP Turkey.								
(3) For Continuation See AIP Russia.								

Route Designator {RNP Type}		[Route Usage Notes]						
Significant Point Name	Significant Point Coordinates							Remarks
{RNP Type}	Track MAG ↓ ↑	Dist (NM)	(COP)	Upper limit Lower limit	Lateral limits (NM)	FL series ↓ ↑		Controlling unit Frequency {Airspace class} Remarks
1	2	3	4	5	6	7	8	9
N77		Route availability: (1) H24						
▲ OGEVI (FIR boundary)	410805N 0434713E							(2)
(RNAV 5)	303° 122°	52.8		FL 660 FL 195		Even ⁽¹⁾	Odd ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHZ Secondary 135.125 MHZ Primary 133.500 MHZ Secondary 135.350 MHZ [Class C]
▲ TETRO	414021N 0425135E							
(RNAV 5)	295° 115°	58.8		FL 660 FL 195		Even ⁽¹⁾	Odd ⁽¹⁾	TBILISI ACC FREQ: Primary 133.400 MHZ Secondary 135.625 MHZ Primary 134.450 MHZ Secondary 135.750 MHZ [Class C]
Δ IBERI	420939N 0414318E							
(RNAV 5)	298° 118°	10.0		FL 660 FL 195		Even ⁽¹⁾	Odd ⁽¹⁾	TBILISI ACC FREQ: Primary 133.400 MHZ Secondary 135.625 MHZ Primary 134.450 MHZ Secondary 135.750 MHZ [Class C]
▲ ALIKA	421509N 0413205E							
(RNAV 5)	298° 117°	81.6		FL 660 FL 195		Even ⁽¹⁾	Odd ⁽¹⁾	TBILISI ACC FREQ: Primary 133.400 MHZ Secondary 135.625 MHZ Primary 134.450 MHZ Secondary 135.750 MHZ [Class C]
▲ BANUT (FIR boundary)	425923N 0395907E							(3)
Point/Segment Remarks:								
(2) For Continuation See AIP Armenia								
(3) For Continuation See AIP Russia								

Route Designator {RNP Type}		[Route Usage Notes]						
Significant Point Name	Significant Point Coordinates							Remarks
{RNP Type}	Track MAG ↓ ↑	Dist (NM)	(COP)	Upper limit Lower limit	Lateral limits (NM)	FL series ↓ ↑		Controlling unit Frequency {Airspace class} Remarks
1	2	3	4	5	6	7	8	9
N82	Route availability: (1) H24							
▲ TISOT (FIR boundary)	411605N 0445309E							(2)
(RNAV 5)	335° -	41.5		FL 660 FL 195		Even ⁽¹⁾		TBILISI ACC FREQ: Primary 125.125 MHZ Secondary 135.125 MHZ Primary 133.500 MHZ Secondary 135.350 MHZ [Class C]
Δ MUKHRANI NDB (DF)	415500N 0443356E							
(RNAV 5)	333° -	37.7		FL 660 FL 195		Even ⁽¹⁾		TBILISI ACC FREQ: Primary 125.125 MHZ Secondary 135.125 MHZ Primary 133.500 MHZ Secondary 135.350 MHZ [Class C]
Δ TAVSA	423000N 0441456E							
(RNAV 5)	336° -	8.3		FL 660 FL 195		Even ⁽¹⁾		TBILISI ACC FREQ: Primary 125.125 MHZ Secondary 135.125 MHZ Primary 133.500 MHZ Secondary 135.350 MHZ [Class C]
▲ LAPTO (FIR boundary)	423753N 0441119E							(3)
Point/Segment Remarks:								
(2) For Continuation See AIP Armenia.								
(3) For Continuation See AIP Russia.								

Route Designator {RNP Type}		[Route Usage Notes]						
Significant Point Name		Significant Point Coordinates						Remarks
{RNP Type}		Track MAG ↓ ↑	Dist (NM)	(COP)	Upper limit Lower limit	Lateral limits (NM)	FL series ↓ ↑	Controlling unit Frequency {Airspace class} Remarks
1		2	3	4	5	6	7	8
N319		Route availability: (1) H24						
▲ IDLER (FIR boundary)		422925N 0400845E						
(RNAV 5)		094 ° 275 °	105.8		FL 660 FL 195		Odd ⁽¹⁾ Even ⁽¹⁾	TBILISI ACC FREQ: Primary 133.400 MHZ Secondary 135.625 MHZ Primary 134.450 MHZ Secondary 135.750 MHZ [Class C]
Δ KUTAISI DVOR/DME (KTS)		421033N 0422905E						
(RNAV 5)		100 ° 280 °	24.0		FL 660 FL 195		Odd ⁽¹⁾ Even ⁽¹⁾	TBILISI ACC FREQ: Primary 133.400 MHZ Secondary 135.625 MHZ Primary 134.450 MHZ Secondary 135.750 MHZ [Class C]
▲ NIDLI		420428N 0430015E						
(RNAV 5)		100 ° 281 °	90.4		FL 660 FL 195		Odd ⁽¹⁾ Even ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHZ Secondary 135.125 MHZ Primary 133.500 MHZ Secondary 135.350 MHZ [Class C]
Δ TBILISI DVOR/DME (TBS)		414014N 0445649E						
(RNAV 5)		101 ° 281 °	27.0		FL 660 FL 195		Odd ⁽¹⁾ Even ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHZ Secondary 135.125 MHZ Primary 133.500 MHZ Secondary 135.350 MHZ [Class C]
Δ LAMUS		413240N 0453124E						
(RNAV 5)		100 ° 280 °	57.3		FL 660 FL 195		Odd ⁽¹⁾ Even ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHZ Secondary 135.125 MHZ Primary 133.500 MHZ Secondary 135.350 MHZ [Class C]
▲ ADEKI (FIR boundary)		411748N 0464500E						(2)
Point/Segment Remarks:								
(2) For Continuation See AIP Azerbaijan.								

Route Designator {RNP Type}		[Route Usage Notes]							
Significant Point Name		Significant Point Coordinates						Remarks	
{RNP Type}		Track MAG ↓ ↑	Dist (NM)	(COP)	Upper limit Lower limit	Lateral limits (NM)	FL series ↓ ↑	Controlling unit Frequency {Airspace class} Remarks	
1		2	3	4	5	6	7	8	
N644		Route availability: (1) H24							
▲ ROLIN (FIR boundary)		414757N 0403923E						(2)	
(RNAV 5)		089° 270°	64.7		FL 660 FL 195		Odd ⁽¹⁾	Even ⁽¹⁾	TBILISI ACC FREQ: Primary 133.400 MHZ Secondary 135.625 MHZ Primary 134.450 MHZ Secondary 135.750 MHZ [Class C]
Δ ODILI		414317N 0420540E							
(RNAV 5)		090° 270°	34.5		FL 660 FL 195		Odd ⁽¹⁾	Even ⁽¹⁾	TBILISI ACC FREQ: Primary 133.400 MHZ Secondary 135.625 MHZ Primary 134.450 MHZ Secondary 135.750 MHZ [Class C]
▲ TETRO		414021N 0425135E							
(RNAV 5)		090° 271°	28.7		FL 660 FL 195		Odd ⁽¹⁾	Even ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHZ Secondary 135.125 MHZ Primary 133.500 MHZ Secondary 135.350 MHZ [Class C]
▲ AGISO		413740N 0432945E							
(RNAV 5)		091° 271°	33.2		FL 660 FL 195		Odd ⁽¹⁾	Even ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHZ Secondary 135.125 MHZ Primary 133.500 MHZ Secondary 135.350 MHZ [Class C]
▲ LAGAS		413419N 0441353E							
(RNAV 5)		091° 271°	51.5		FL 660 FL 195		Odd ⁽¹⁾	Even ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHZ Secondary 135.125 MHZ Primary 133.500 MHZ Secondary 135.350 MHZ [Class C]
Δ BADIR		412900N 0452200E							
(RNAV 5)		095° 276°	63.6		FL 660 FL 195		Odd ⁽¹⁾	Even ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHZ Secondary 135.125 MHZ Primary 133.500 MHZ Secondary 135.350 MHZ [Class C]
▲ ADEKI (FIR boundary)		411748N 0464500E						(3)	
Point/Segment Remarks:									
(2) For continuation, see AIP Turkey.									
(3) For continuation, see AIP Azerbaijan.									

Route Designator {RNP Type}		[Route Usage Notes]							
	Significant Point Name	Significant Point Coordinates						Remarks	
	{RNP Type}	Track MAG ↓ ↑	Dist (NM)	(COP)	Upper limit Lower limit	Lateral limits (NM)	FL series ↓ ↑		Controlling unit Frequency {Airspace class} Remarks
	1	2	3	4	5	6	7	8	9
P567		Route availability: (1) H24							
▲ BANUT (FIR boundary)		425923N 0395907E							
(RNAV 5)		111° 293°	142.6		FL 660 FL 285		Odd ⁽¹⁾	Even ⁽¹⁾	TBILISI ACC FREQ: Primary 133.400 MHz Secondary 135.625 MHz Primary 134.450 MHz Secondary 135.750 MHz [Class C]
▲ BARUS		415414N 0425030E							
(RNAV 5)		114° 295°	33.7		FL 660 FL 195		Odd ⁽¹⁾	Even ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHz Secondary 135.125 MHz Primary 133.500 MHz Secondary 135.350 MHz [Class C]
▲ AGISO		413740N 0432945E							
(RNAV 5)		115° 295°	52.4		FL 660 FL 195		Odd ⁽¹⁾	Even ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHz Secondary 135.125 MHz Primary 133.500 MHz Secondary 135.350 MHz [Class C]
▲ TAVRO (FIR boundary)		411129N 0443009E							(2)
Point/Segment Remarks:									
(2) For Continuation See AIP Armenia.									

Route Designator {RNP Type}		[Route Usage Notes]							
	Significant Point Name {RNP Type}	Significant Point Coordinates						Remarks	
		Track MAG ↓ ↑	Dist (NM)	(COP)	Upper limit Lower limit	Lateral limits (NM)	FL series ↓ ↑	Controlling unit Frequency {Airspace class} Remarks	
	1	2	3	4	5	6	7	8	9
T910		Route availability: (1) H24							
▲	BATUMI NDB (LU)	413605N 0413651E							
	(RNAV 5)	313° 133°	41.0		FL 660 FL 195		Even ⁽¹⁾	Odd ⁽¹⁾	TBILISI ACC FREQ: Primary 133.400 MHZ Secondary 135.625 MHZ Primary 134.450 MHZ Secondary 135.750 MHZ [Class C]
▲	SOSED	420635N 0410015E							
	(RNAV 5)	315° 134°	69.5		FL 660 FL 195		Even ⁽¹⁾	Odd ⁽¹⁾	TBILISI ACC FREQ: Primary 133.400 MHZ Secondary 135.625 MHZ Primary 134.450 MHZ Secondary 135.750 MHZ [Class C]
▲	BANUT (FIR boundary)	425923N 0395907E							⁽²⁾
Point/Segment Remarks:									
(2) For Continuation See AIP Russia.									

Route Designator {RNP Type}		[Route Usage Notes]							
	Significant Point Name	Significant Point Coordinates						Remarks	
{RNP Type}		Track MAG ↓ ↑	Dist (NM)	(COP)	Upper limit Lower limit	Lateral limits (NM)	FL series ↓ ↑	Controlling unit Frequency {Airspace class} Remarks	
1		2	3	4	5	6	7	8	9
T913		Route availability: (1) H24							
Δ	LAMUS	413240N 0453124E							
(RNAV 5)		049° 230°	42.2		FL 660 FL 195		Odd ⁽¹⁾	Even ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHZ Secondary 135.125 MHZ Primary 133.500 MHZ Secondary 135.350 MHZ [Class C]
▲	KUFAN (FIR boundary)	415718N 0461708E							⁽²⁾
Point/Segment Remarks: (2) For Continuation See AIP Russia.									

Route Designator {RNP Type}		[Route Usage Notes]						
Significant Point Name {RNP Type}	Significant Point Coordinates			Upper limit Lower limit	Lateral limits (NM)	FL series		Remarks Controlling unit Frequency {Airspace class} Remarks
	Track MAG ↓ ↑	Dist (NM)	(COP)			↓	↑	
1	2	3	4	5	6	7	8	9
T915		Route availability: (1) H24						
▲ TAGAR	421642N 0430410E							
(RNAV 5)	108° 289°	28.3		FL 660 FL 195		Odd ⁽¹⁾	Even ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHz Secondary 135.125 MHz Primary 133.500 MHz Secondary 135.350 MHz [Class C]
Δ ALI NDB (BT)	420523N 0433901E							
(RNAV 5)	108° 289°	39.9		FL 660 FL 195		Odd ⁽¹⁾	Even ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHz Secondary 135.125 MHz Primary 133.500 MHz Secondary 135.350 MHz [Class C]
Δ OBORA	415000N 0442756E							
(RNAV 5)	109° 289°	23.7		FL 660 FL 195		Odd ⁽¹⁾	Even ⁽¹⁾	TBILISI ACC FREQ: Primary 125.125 MHz Secondary 135.125 MHz Primary 133.500 MHz Secondary 135.350 MHz [Class C]
Δ TBILISI DVOR/DME (TBS)	414014N 0445649E							

Route Designator {RNP Type}		[Route Usage Notes]							
	Significant Point Name {RNP Type}	Significant Point Coordinates						Remarks	
		Track MAG ↓ ↑	Dist (NM)	(COP)	Upper limit Lower limit	Lateral limits (NM)	FL series ↓ ↑	Controlling unit Frequency {Airspace class} Remarks	
	1	2	3	4	5	6	7	8	9
T921		Route availability: (1) H24							
▲ ADEKI (FIR boundary)		411748N 0464500E						(2)	
(RNAV 5)		286° -	14.2		FL 660 FL 195		Even ⁽¹⁾		TBILISI ACC FREQ: Primary 125.125 MHZ Secondary 135.125 MHZ Primary 133.500 MHZ Secondary 135.350 MHZ [Class C]
▲ KOTAN		412248N 0462724E							
(RNAV 5)		302° -	25.0		FL 660 FL 195		Even ⁽¹⁾		TBILISI ACC FREQ: Primary 125.125 MHZ Secondary 135.125 MHZ Primary 133.500 MHZ Secondary 135.350 MHZ [Class C]
▲ ANAGU		413750N 0460056E							
(RNAV 5)		302° -	101.6		FL 660 FL 195		Even ⁽¹⁾		TBILISI ACC FREQ: Primary 125.125 MHZ Secondary 135.125 MHZ Primary 133.500 MHZ Secondary 135.350 MHZ [Class C]
▲ LAPTO (FIR boundary)		423753N 0441119E							
Point/Segment Remarks:									
(2) For continuation, see AIP Azerbaijan.									